Journal of Biochemical and Biophysical Methods, 18 (1989) 335–337
Elsevier

Contents of Volume 18

No. 1

G. Remaud, N. Balgobin, A. Sandström, J.-M. Vial, L.H. Koole, H.M. Buck, A.F. Drake, X.-X. Zhou and J. Chattopadhyaya (Sweden, The Netherlands, U.K.)
Why do all lariat RNA introns have adenosine as the branch-point nucleotide? Conformational study of naturally-occurring branched trinucleotides and its eleven analogues by ^{1}H-, ^{31}P-NMR and CD spectroscopy 1

M.C. Miedel, J.D. Hulmes and Y.-C.E. Pan (U.S.A.)
The use of fluorescamine as a detection reagent in protein microcharacterization 37

H.V. Westerhoff, A.H.C.A. Wiechmann, K. Van Dam and K.J. Hellingwerf (The Netherlands, U.S.A.)
On the evaluation of data from flow-dialysis experiments 53

H. Wajcman, A. Bianchi-Bosisio and P.G. Righetti (France, Italy)
Isoelectric focusing of tryptic peptides from hemoglobin subunits by immobilized pH gradients 65

A.V. Lichtenstein, V.L. Moiseev and M.M. Zaboykin (USSR)
Hydroxyapatite-mediated transfer of DNA from diluted solutions to nitrocellulose or nylon membranes 77

Book reviews 85

Announcements 89

No. 2

V. Mani and R.K. Crouch (U.S.A.)
Spin trapping of the superoxide anion: complications in the use of the water-soluble nitroso-aromatic reagent DBNBS 91

M. Yokota, J. Kambayashi, T. Tanaka, T. Tsujinaka, M. Sakon and T. Mori (Japan)
A simple turbidimetric time assay of the endotoxin in plasma 97

B.R. Singh, Y.G. Chai, D.T. Robertson and P.-S. Song (U.S.A.)
A photoreversible phytochrome affinity column chromatography for putative phytochrome receptor studies 105

R.L. Berger, C.P. Mudd, T. Clem, T. Kolobow, E. Beile, P.C. Simons, S. Michel and W. McClintock (U.S.A.)
A stopped-flow mixer device for a batch microcalorimeter application to NAD-NADase reaction 113

A. Szewczyk, M.J. Nałęcz and L. Wojtczak (Poland)
Azido derivatives of dicarboxylic acids for photoaffinity labeling of mitochondrial carriers 125

B.R. Singh, J. Choi, T.-I. Kwon and P.-S. Song (U.S.A.)
Use of bilirubin oxidase for probing chromophore topography in tetrapyrrole proteins 135

0165-022X/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

S.A. Thorén, J. Suurkuusk and B. Holma (Denmark, Sweden)
Operation of a multichannel microcalorimetry system in the micro-submicrowatt region: some methodological aspects 149

T. Iwaguchi, M. Shimizu and H. Hayashi (Japan)
Analysis of electrophoretic mobility histograms of mouse splenocytes and thymocytes during tumor growth and after combined chemotherapy and immunotherapy 157

No. 3

M. Prorok and D.S. Lawrence (U.S.A.)
Cryopreservation of the cyclic 3′,5′-adenosine monophosphate-dependent protein kinase from bovine cardiac muscle 167

J.J. Centelles and R. Franco (Spain)
Heterogeneity of the gradients performed by the freeze-thaw method 177

P. Münzner and J. Voigt (F.R.G.)
A convenient procedure for the isolation of intact translatable mRNA by potassium iodide gradient centrifugation 183

P. Sinha, M. Seidel, P.G. Righetti, I. Bause-Niedrig and E. Köttgen (Italy, F.R.G.)
Use of physiological substrates for zymograms of disaccharidases after separation in immobilized pH gradients 195

B. Van Den Burg, V.G.H. Eijsink, B.K. Stulp and G. Venema (The Netherlands)
One-step affinity purification of *Bacillus* neutral proteases using Bacitracin-silica 209

J. Scheerer, C. Matzenauer, S. Kreger and P. Muhn (F.R.G.)
A dot blot assay for sulfated glycosaminoglycans 221

O. Bertrand, M.-H. Delfau, M. Garbarz, C. Picat, I. Devaux, D. Dhermy, P. Boivin and B. Grandchamp (France)
An efficient laboratory made apparatus for DNA amplification 227

V.V. Khramtsov, M.V. Panteleev and L.M. Weiner (U.S.S.R.)
ESR study of proton transport across phospholipid vesicle membranes 237

Announcement 247

No. 4

Review
G. Schill (Sweden)
High performance ion-pair chromatography 249

Research Articles
H.C. Chan, R.L. Magin and H.M. Swartz (U.S.A.)
Rapid assessment of liposomal stability in blood by an aqueous nitroxide spin label 271

D. Merkel, G. Schmidt, C. Flachmeier, G. Behrendt, C. Coutelle and H.-D. Hunger (G.D.R.)
A new neomycin phosphotransferase II solid phase assay in combination with polyacrylamide sodium dodecylsulphate gel electrophoresis 277

J. Shobha, B. Bhattacharyya and D. Balasubramanian (India)
Use of micelles in studying drug-binding sites: simulation of the tubulin-bound fluorescence of colchicine 287

J.T. Corbett (U.S.A.)
The scopoletin assay for hydrogen peroxide. A review and a better method 297

E. Wenisch, A. Jungbauer, C. Tauer, M. Reiter, G. Gruber, F. Steindl and H. Katinger (Austria)
Isolation of human monoclonal antibody isoproteins by preparative isoelectric focusing in immobilized pH gradients 309

R.K. Gaur, S. Paliwal, P. Sharma and K.C. Gupta (India)
A simple and sensitive spectrophotometric method for the quantitative determination of solid supported amino groups 323

Short Note
M. Gaczyńska and G. Bartosz (Poland)
Standardization of the electron spin resonance method for the proteolytic activity assay 331

Contents of Volume 8 335

Author Index 338

Subject Index 341